

Green Analytics NY, LLC  
401 North Middletown Road, Building 60B  
Pearl River, NY 10965  
www.greenanalyticsllc.com  
License #: OCM-CPL-00013  
ISO 17025 Certificate No.: 4356.09

### Sample Result: PASS

<b>Date Reported:</b>	2/13/2026	<b>Sample ID:</b>	20251113-AETE-002
<b>Client Name:</b>	Aeterna Cannabis	<b>Sample Name:</b>	Cream 47
<b>Sampling Location:</b>	Hudson, NY	<b>Sample Matrix:</b>	Flower
<b>Contact Email:</b>	info@aeternacannabis.com	<b>Sample Sub Type:</b>	Whole Flower
<b>License Number:</b>	OCM-MICR-24-000139	<b>Package ID:</b>	PKG0000000000377
<b>Medical/Adult Use:</b>	Adult Use	<b>Batch Lot ID:</b>	1025-025
<b>Sampling Date:</b>	11/13/2025 01:35:00 PM	<b>Batch Size:</b>	3200
<b>METRC Test Tag ID:</b>	1A412030000026B000000165	<b>Serving Size (g):</b>	1
		<b>METRC Source ID:</b>	

<b>Potency</b>	<b>T</b>	<b>Pesticides</b>	<b>P</b>	<b>Heavy Metals</b>	<b>P</b>	<b>Mycotoxins</b>	<b>P</b>
<b>Water Activity</b>	<b>P</b>	<b>Microbiological</b>	<b>P</b>	<b>Residual Solvents</b>	<b>-</b>	<b>Terpenes</b>	<b>P</b>
		<b>Moisture</b>	<b>P</b>	<b>Filth &amp; Foreign Material</b>	<b>P</b>		

"- " = Not Tested; "T" = Tested; "P" = Pass; "F" = Fail

### Cannabinoids: Cream 47 (20251113-AETE-002)

Potency analysis utilizing HPLC (SOP-025-NY, SOP-073-NY)

Analyte	% w/w	mg/serving	MRL (% w/w)
CBDV	< MRL	< MRL	0.104
CBDA	< MRL	< MRL	0.104
CBGA	0.261	2.6058	0.104
CBG	< MRL	< MRL	0.104
CBD	< MRL	< MRL	0.104
THCV	< MRL	< MRL	0.104
CBN	< MRL	< MRL	0.104
D9-THC	0.993	9.9261	0.104
D8-THC	< MRL	< MRL	0.104
D10-THC-S	< MRL	< MRL	0.104
D10-THC-R	< MRL	< MRL	0.104
CBC	< MRL	< MRL	0.104
THCA	23.531	235.3123	0.104

MRL = Minimum reporting limit/limit of quantification  
mg/serving = % w/w x10 x serving size weight (g)  
Reported on a dry-weight basis based on the calculation:  
(wet sample % x 100)/(100 - %MC)

Test ID: #163922 | Date Tested: 11/17/2025 08:41 AM

Potency Summary	% w/w	mg/serving
<b>Total THC</b> [ Δ8-THC + Δ9-THC + Δ10-THC + (THCA * 0.877) ]	21.630	216.295
<b>Total CBD</b> [ CBD + (CBDA * 0.877) ]	< MRL	< MRL
<b>Total Cannabinoids</b>	24.784	247.8442

Version 2: 2/13/2026 EJP. COA amended with updated contact information.



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Action limits are set according to the New York State Office of Cannabis Management Testing Limits. A sample is deemed acceptable when all analyte values are within those state determined limits. Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC  
401 North Middletown Road, Building 60B  
Pearl River, NY 10965  
www.greenanalyticsllc.com  
License #: OCM-CPL-00013  
ISO 17025 Certificate No.: 4356.09

### Terpenes: Cream 47 (20251113-AETE-002)

**PASS**

Terpenes analysis utilizing GC-MS (SOP-063-NY, SOP-069-NY)

Analyte	Result (% w/w)	MRL (% w/w)
alpha-Pinene	0.18	0.06
Camphene	< MRL	0.06
Sabinene	< MRL	0.06
beta-Pinene	0.15	0.06
beta-Myrcene	0.06	0.06
Alpha-phellandrene	< MRL	0.06
Carene	< MRL	0.06
alpha-terpinene	< MRL	0.06
p-Cymene	< MRL	0.06
Limonene	0.83	0.06
Eucalyptol	< MRL	0.06
Ocimene	0.05	0.05
gamma-Terpinene	< MRL	0.06
Sabinene Hydrate	< MRL	0.06
Terpinolene	< MRL	0.06
Linalool	0.09	0.06
Fenchol	0.08	0.06
Menthol	< MRL	0.06
Terpineol	0.07	0.06
Citronellol	< MRL	0.06
Isopulegol	< MRL	0.06
Geraniol	< MRL	0.06
Alpha-cedrene	< MRL	0.05
Beta-Caryophyllene	0.68	0.06
Farnesene	< MRL	0.06
alpha-Humulene	0.22	0.06
Valencene	< MRL	0.06
cis-Nerolidol	< MRL	0.03
trans-Nerolidol	< MRL	0.04
Caryophyllene oxide	< MRL	0.06
Guaiol	< MRL	0.06
alpha-Bisabolol	0.08	0.06

MRL = Minimum reporting limit/limit of quantification Test ID: #163925 | Date Tested: 11/16/2025 02:36 PM

Terpenes Summary	Result	Limit	Pass/Fail
<b>Total Terpenes (% w/w)</b>	2.50	10	PASS

Version 2: 2/13/2026 EJP. COA amended with updated contact information.



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Action limits are set according to the New York State Office of Cannabis Management Testing Limits.

A sample is deemed acceptable when all analyte values are within those state determined limits. Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC  
401 North Middletown Road, Building 60B  
Pearl River, NY 10965  
www.greenanalyticsllc.com  
License #: OCM-CPL-00013  
ISO 17025 Certificate No.: 4356.09

### Pesticides: Cream 47 (20251113-AETE-002)

**PASS**

Residual pesticide analysis utilizing Liquid Chromatography - Mass Spectrometry (SOP-062-NY, SOP-070-NY)

Analyte	Pass/Fail	Result (µg/g)	Limit (µg/g)	MRL (µg/g)
Abamectin	PASS	< MRL	0.500	0.100
Acephate	PASS	< MRL	0.400	0.100
Acequinocyl	PASS	< MRL	2.00	0.100
Acetamiprid	PASS	< MRL	0.200	0.100
Aldicarb	PASS	< MRL	0.400	0.100
Azadirachtin	PASS	< MRL	1.00	0.250
Azoxystrobin	PASS	< MRL	0.200	0.100
Bifenazate	PASS	< MRL	0.200	0.100
Bifenthrin	PASS	< MRL	0.200	0.100
Boscalid	PASS	< MRL	0.400	0.100
Captan	PASS	< MRL	1.00	0.500
Carbaryl	PASS	< MRL	0.200	0.100
Carbofuran	PASS	< MRL	0.200	0.100
Chlorantranilprole	PASS	< MRL	0.200	0.100
Chlordane	PASS	< MRL	1.00	0.100
Chlorfenapyr	PASS	< MRL	1.00	0.100
Chlormequat chloride	PASS	< MRL	1.00	0.100
Chlorpyrifos	PASS	< MRL	0.200	0.100
Clofentezine	PASS	< MRL	0.200	0.100
Coumaphos	PASS	< MRL	1.00	0.100
Cyfluthrin	PASS	< MRL	1.00	0.100
Cypermethrin	PASS	< MRL	1.00	0.100
Daminozide	PASS	< MRL	1.00	0.100
Diazinon	PASS	< MRL	0.200	0.100
Dichlorvos	PASS	< MRL	1.00	0.100
Dimethoate	PASS	< MRL	0.200	0.100
Dimethomorph	PASS	< MRL	0.200	0.100
Ethoprophos	PASS	< MRL	0.200	0.100
Etofenprox	PASS	< MRL	0.400	0.100
Etoxazole	PASS	< MRL	0.200	0.100
Fenhexamid	PASS	< MRL	1.00	0.100
Fenoxycarb	PASS	< MRL	0.200	0.100
Fenpyroximate	PASS	< MRL	0.400	0.100
Fipronil	PASS	< MRL	0.400	0.100
Flonicamid	PASS	< MRL	1.00	0.100
Fludioxonil	PASS	< MRL	0.400	0.100
Hexythiazox	PASS	< MRL	1.00	0.100
Imazalil	PASS	< MRL	0.200	0.100
Imidacloprid	PASS	< MRL	0.400	0.100
Indole-3-butyric acid	PASS	< MRL	1.00	0.250
Kresoxim-methyl	PASS	< MRL	0.400	0.100
Malathion	PASS	< MRL	0.200	0.100
Metalaxyl	PASS	< MRL	0.200	0.100
Methiocarb	PASS	< MRL	0.200	0.100
Methomyl	PASS	< MRL	0.400	0.100
Methyl Parathion	PASS	< MRL	0.400	0.100
Mevinphos	PASS	< MRL	1.00	0.100
MGK-264 I/II	PASS	< MRL	0.200	0.100
Myclobutanil	PASS	< MRL	0.200	0.100
Naled	PASS	< MRL	0.500	0.100
Oxamyl	PASS	< MRL	1.00	0.100
Paclobutrazol	PASS	< MRL	0.400	0.100
Pentachloronitrobenzene	PASS	< MRL	0.400	0.100
Permethrins, total	PASS	< MRL	0.200	0.100
Phosmet	PASS	< MRL	0.200	0.100
Piperonyl butoxide	PASS	< MRL	2.00	0.100
Prallethrin	PASS	< MRL	0.200	0.100
Propiconazole	PASS	< MRL	0.400	0.100
Propoxur	PASS	< MRL	0.200	0.100
Pyrethrins	PASS	< MRL	1.00	0.100
Pyridaben	PASS	< MRL	0.200	0.100
Spinetoram, Total	PASS	< MRL	1.00	0.100
Spinosad, Total	PASS	< MRL	0.200	0.100
Spiromesifen	PASS	< MRL	0.200	0.100
Spirotetramat	PASS	< MRL	0.200	0.100
Spiroxamine	PASS	< MRL	0.200	0.100
Tebuconazole	PASS	< MRL	0.400	0.100
Thiacloprid	PASS	< MRL	0.200	0.100
Thiamethoxam	PASS	< MRL	0.200	0.100
Trifloxystrobin	PASS	< MRL	0.200	0.100

MRL = Minimum reporting limit/limit of quantification

Test ID: #163919 | Date Tested: 11/17/2025 11:13 AM

### Version 2: 2/13/2026 EJP. COA amended with updated contact information.



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Action limits are set according to the New York State Office of Cannabis Management Testing Limits.

A sample is deemed acceptable when all analyte values are within those state determined limits.  
Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC  
401 North Middletown Road, Building 60B  
Pearl River, NY 10965  
www.greenanalyticsllc.com  
License #: OCM-CPL-00013  
ISO 17025 Certificate No.: 4356.09

Mycotoxins: Cream 47 (20251113-AETE-002)					PASS
Mycotoxin analysis utilizing Liquid Chromatography - Mass Spectrometry (SOP-062-NY, SOP-070-NY)					
Analyte	Pass/Fail	Result (µg/g)	Limit (µg/g)	MRL (µg/g)	
Ochratoxin	PASS	< MRL	0.020	0.010	
Total Aflatoxins	PASS	< MRL	0.020	0.010	
MRL = Minimum reporting limit/limit of quantification			Test ID: #163920   Date Tested: 11/17/2025 11:15 AM		

Heavy Metals: Cream 47 (20251113-AETE-002)					PASS
Heavy Metals analysis utilizing Inductively Coupled Plasma Mass Spectrometry (SOP-061-NY, SOP-072-NY)					
Analyte	Pass/Fail	Result (µg/g)	Limit (µg/g)	MRL (µg/g)	
Chromium	PASS	< MRL	110	8.00	
Nickel	PASS	< MRL	5.00	1.00	
Copper	PASS	< MRL	30.0	8.00	
Arsenic	PASS	< MRL	0.200	0.10	
Cadmium	PASS	< MRL	0.200	0.10	
Antimony	PASS	< MRL	2.00	1.00	
Mercury	PASS	< MRL	0.100	0.05	
Lead	PASS	< MRL	0.500	0.20	
MRL = Minimum reporting limit/limit of quantification			Test ID: #163918   Date Tested: 11/17/2025 09:27 AM		

Microbiology - Plating: Cream 47 (20251113-AETE-002)					PASS
Microbial analysis utilizing microbial enumeration (SOP-700-NY)					
Analyte	Pass/Fail	Results (CFU/g)	Limit (CFU/g)	MRL (CFU/g)	
Total Aerobic Bacteria	PASS	11261	None	100	
Total Yeast & Mold	PASS	7455	None	100	
Microbiology - qPCR:					
Microbial analysis utilizing quantitative Polymerase Chain Reaction (SOP-701-NY)					
Analyte	Pass/Fail	Results (CFU/g)	Limit (CFU/g)	MRL (CFU/g)	
Salmonella spp	PASS	Absent	Absent	1	
Shiga toxin-producing E. coli	PASS	Absent	Absent	1	
Aspergillus (fumigatus, flavus, niger, terreus)	PASS	Absent	Absent	1	
MRL = Minimum reporting limit/limit of quantification			Test IDs: #163927, #163926, #163929, #163928   Date Tested: 11/18/2025 09:20 AM, 11/17/2025 08:32 AM, 11/18/2025 08:14 AM, 11/18/2025 08:12 AM		

Moisture: Cream 47 (20251113-AETE-002)				PASS
Moisture content analysis utilizing Moisture Balance (MB; SOP-055-GA)				
Analyte	Pass/Fail	Result (%)	Limit (%)	
Moisture	PASS	10.7	15.0	
MRL = Minimum reporting limit/limit of quantification			Test ID: #163921   Date Tested: 11/14/2025 07:46 AM	

Version 2: 2/13/2026 EJP. COA amended with updated contact information.



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Action limits are set according to the New York State Office of Cannabis Management Testing Limits. A sample is deemed acceptable when all analyte values are within those state determined limits. Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC  
401 North Middletown Road, Building 60B  
Pearl River, NY 10965  
www.greenanalyticsllc.com  
License #s: OCM-CPL-00013  
ISO 17025 Certificate No.: 4356.09

Water Activity: Cream 47 (20251113-AETE-002)				PASS
Water activity analysis utilizing a chilled mirror dew point sensor (SOP-059-GA)				
Analyte	Pass/Fail	Result (a <sub>w</sub> )	Limit (a <sub>w</sub> )	
Water Activity	PASS	0.39	0.65	
MRL = Minimum reporting limit/limit of quantification			Test ID: #163917   Date Tested: 11/14/2025 11:02 AM	

Filt and Foreign Material: Cream 47 (20251113-AETE-002)				PASS
Filt and Foreign Material analysis utilizing microscopy (SOP-057-NY)				
Analyte	Results	Limit	Pass/Fail	
Foreign Material (other, % m/m)	ND	2.00	PASS	
Foreign Material (stems, % m/m)	ND	5.00	PASS	
Mammalian Excreta (mg/lb)	ND	1.00	PASS	
ND = Not Detected			Test ID: #163916   Date Tested: 11/14/2025 07:48 AM	



Matthew Elmes  
Lab Director  
2/13/2026

Version 2: 2/13/2026 EJP. COA amended with updated contact information.



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Action limits are set according to the New York State Office of Cannabis Management Testing Limits. A sample is deemed acceptable when all analyte values are within those state determined limits. Laboratory determined measurement uncertainty is available by request.