



Date Released: 6/25/2025 1:56:47PM

Report #: 66033

**Apple Fritter PR**

Sample #: 16043, Weight: 13.00g, Unit Count:

Order #: X250620-0003

Category/Type: Plant, Preroll

Date Collected: 6/19/2025 5:03:00PM

Date Received: 6/20/2025 11:34:40AM


Date Sampled: 6/19/2025 1:27:00PM

Regulator Sample ID: PR-AF2-1

Regulator Source Package ID: PR-AF2-1

Regulator Batch ID: PR-AF2-1

Size: 3200Units, Unit Count:

Total Cannabinoids  
27.56 %  
275.6 mg/gTotal THC  
24.41 %  
244.1 mg/gTotal CBD  
0.05030 %  
0.5030 mg/gTotal Terpenes  
0.905 %Moisture  
10.0 %Heavy Metals  
PASSMicrobials  
PASSPesticides  
PASSMycotoxins  
PASSWater Activity  
PASS**Cannabinoids Avg**

Total Cannabinoids: 27.56 % - 275.6 mg/g

Total THC: 24.41 % - 244.1 mg/g

Total CBD: 0.05030 % - 0.5030 mg/g

Date Completed: 06/23/2025 10:06AM

| Compound | CAS#       | LOQ (%)  | %       | mg/g   | Relative Concentration |
|----------|------------|----------|---------|--------|------------------------|
| THCa     | 23978-85-0 | 0.001000 | 17.49   | 174.9  | <div></div>            |
| d9-THC   | 1972-08-3  | 0.001000 | 9.036   | 90.36  | <div></div>            |
| CBGa     | 25555-57-1 | 0.001000 | 0.5815  | 5.815  | <div></div>            |
| CBG      | 25654-31-3 | 0.001000 | 0.1501  | 1.501  | <div></div>            |
| CBC      | 20675-51-8 | 0.001000 | 0.08274 | 0.8274 | <div></div>            |
| CBN      | 521-35-7   | 0.001000 | 0.06644 | 0.6644 | <div></div>            |
| CBDa     | 1244-58-2  | 0.001000 | 0.05735 | 0.5735 | <div></div>            |

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measurement uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.

Keystone State Testing of New York  
1809 Vestal Pkwy E

Vestal, NY 13850

(607)301-0884

InfoNY@KeystoneStateTesting.com

www.KeystoneStateTesting.com

Permit #: OCM-CPL-00007

Dr. Kelly Greenland, Lab Director





Sample #: 16043


Apple Fritter PR

| Compound   | CAS#       | LOQ (%)  | %       | mg/g   | Relative Concentration |
|------------|------------|----------|---------|--------|------------------------|
| THCV       | 31262-37-0 | 0.001000 | 0.05331 | 0.5331 |                        |
| d10/S9-THC | 95588-87-7 | 0.001000 | 0.03584 | 0.3584 |                        |
| CBDV       | 24274-48-4 | 0.001000 | ND      | ND     |                        |
| CBD        | 13956-29-1 | 0.001000 | ND      | ND     |                        |
| d8-THC     | 5957-75-5  | 0.001000 | ND      | ND     |                        |
| d10/R9-THC | 95543-62-7 | 0.001000 | ND      | ND     |                        |

**Test Comment:** Cannabinoids analyzed by HPLC using P-NY100. The reported result is based on a sample weight using moisture content for flower samples unless moisture is listed as zero or ND. Unless otherwise stated all QC passed.

## Terpenes by HS-GC-MS

Date Completed: 06/24/2025 4:11PM



| Compound           | CAS#      | LOQ (%) | %      | Relative Concentration |
|--------------------|-----------|---------|--------|------------------------|
| Beta-caryophyllene | 87-44-5   | 0.1000  | 0.4637 | <div></div>            |
| Limonene           | 5989-27-5 | 0.1000  | 0.1825 | <div></div>            |
| Beta-myrcene       | 123-35-3  | 0.1000  | 0.1326 | <div></div>            |
| Alpha-humulene     | 6753-98-6 | 0.1000  | 0.1258 | <div></div>            |

Results based on dry weight

|              |          |        |    |
|--------------|----------|--------|----|
| Alpha-pinene | 80-56-8  | 0.1000 | ND |
| Linalool     | 78-70-6  | 0.1000 | ND |
| Beta-pinene  | 127-91-3 | 0.1000 | ND |
| Terpinolene  | 586-62-9 | 0.1000 | ND |

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measurement uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York  
1809 Vestal Pkwy E

Vestal, NY 13850  
(607)301-0884  
InfoNY@KeystoneStateTesting.com  
www.KeystoneStateTesting.com  
Permit #: OCM-CPL-00007

Dr. Kelly Greenland, Lab Director





Sample #: 16043

Apple Fritter PR

| Compound            | CAS#       | LOQ (%) | %  | Relative Concentration |
|---------------------|------------|---------|----|------------------------|
| Ocimene             | 13877-91-3 | 0.1000  | ND |                        |
| Alpha-bisabolol     | 515-69-5   | 0.1000  | ND |                        |
| Caryophyllene-oxide | 1139-30-6  | 0.1000  | ND |                        |
| Geraniol            | 106-24-1   | 0.1000  | ND |                        |
| Camphene            | 79-92-5    | 0.1000  | ND |                        |
| Guaiol              | 489-86-1   | 0.1000  | ND |                        |
| Alpha-terpinene     | 99-86-5    | 0.1000  | ND |                        |
| Terpineol           | 8006-39-1  | 0.1000  | ND |                        |
| Fenchol             | 14575-74-7 | 0.1000  | ND |                        |
| Valencene           | 4630-07-3  | 0.1000  | ND |                        |
| Alpha-phellandrene  | 99-83-2    | 0.1000  | ND |                        |
| Farnesene           | 502-61-4   | 0.1000  | ND |                        |

Test Comment: Terpenes tested by GCMS using P-NY210. Unless otherwise stated, all QC passed.

## Moisture LWG

Pass

Analysis Date: 06/21/2025 3:46 pm

| Compound | LOQ (%) | Limits (%) | Result (%) | Status |
|----------|---------|------------|------------|--------|
| Moisture | 1.2     | 0 - 15     | 10.0       | Pass   |

Comment: Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed.

## Water Activity

Pass

Analysis Date: 06/21/2025 3:46 pm

| Compound       | LOQ (Aw) | Limits (Aw) | Result (Aw) | Status |
|----------------|----------|-------------|-------------|--------|
| Water Activity | 0.05     | 0.65        | 0.48        | Pass   |

Comment: Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed.

## Pesticides by LCMSMS

Pass

Analysis Date: 06/24/2025 5:16 pm

| Compound  | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status |
|-----------|------------|---------------|---------------|--------|
| Abamectin | 0.0100     | 0.500         | ND            | Pass   |

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measurement uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York  
1809 Vestal Pkwy E

Vestal, NY 13850  
(607)301-0884  
InfoNY@KeystoneStateTesting.com  
www.KeystoneStateTesting.com  
Permit #: OCM-CPL-00007

Dr. Kelly Greenland, Lab Director





Sample #: 16043

Apple Fritter PR

## Pesticides by LCMSMS

Pass

Analysis Date: 06/24/2025 5:16 pm

| Compound             | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status |
|----------------------|------------|---------------|---------------|--------|
| Acephate             | 0.0100     | 0.400         | ND            | Pass   |
| Acequinocyl          | 0.0100     | 2.00          | ND            | Pass   |
| Acetamiprid          | 0.0100     | 0.200         | ND            | Pass   |
| Aldicarb             | 0.0100     | 0.400         | ND            | Pass   |
| Azadirachtin         | 0.0100     | 1.00          | ND            | Pass   |
| Azoxystrobin         | 0.0100     | 0.200         | ND            | Pass   |
| Bifenazate           | 0.0100     | 0.200         | ND            | Pass   |
| Bifenthrin           | 0.0100     | 0.200         | ND            | Pass   |
| Boscalid             | 0.0100     | 0.400         | ND            | Pass   |
| Captan               | 0.0100     | 1.00          | ND            | Pass   |
| Carbaryl             | 0.0100     | 0.200         | ND            | Pass   |
| Carbofuran           | 0.0100     | 0.200         | ND            | Pass   |
| Chlorantraniliprole  | 0.0100     | 0.200         | ND            | Pass   |
| Chlordane-alpha      | 0.0100     | 1.00          | ND            | Pass   |
| Chlorfenapyr         | 0.0100     | 1.00          | ND            | Pass   |
| Chlormequat Chloride | 0.0100     | 1.00          | ND            | Pass   |
| Chlorpyrifos         | 0.0100     | 0.200         | ND            | Pass   |
| Clofentezine         | 0.0100     | 0.200         | ND            | Pass   |
| Coumaphos            | 0.0100     | 1.00          | ND            | Pass   |
| Cyfluthrin           | 0.0100     | 1.00          | ND            | Pass   |
| Cypermethrin         | 0.0100     | 1.00          | ND            | Pass   |
| Daminozide           | 0.0100     | 1.00          | ND            | Pass   |
| Diazinon             | 0.0100     | 0.200         | ND            | Pass   |
| Dichlorvos           | 0.0100     | 1.00          | ND            | Pass   |
| Dimethoate           | 0.0100     | 0.200         | ND            | Pass   |
| Dimethomorph         | 0.0100     | 1.00          | ND            | Pass   |

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measurement uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York  
1809 Vestal Pkwy E

Vestal, NY 13850  
(607)301-0884  
InfoNY@KeystoneStateTesting.com  
www.KeystoneStateTesting.com  
Permit #: OCM-CPL-00007

Dr. Kelly Greenland, Lab Director





Sample #: 16043

Apple Fritter PR

Pesticides by LCMSMS

Pass

Analysis Date: 06/24/2025 5:16 pm

| Compound                | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status |
|-------------------------|------------|---------------|---------------|--------|
| Ethoprophos             | 0.0100     | 0.200         | ND            | Pass   |
| Etofenprox              | 0.0100     | 0.400         | ND            | Pass   |
| Etoxazole               | 0.0100     | 0.200         | ND            | Pass   |
| Fenhexamid              | 0.0100     | 1.00          | ND            | Pass   |
| Fenoxycarb              | 0.0100     | 0.200         | ND            | Pass   |
| Fenpyroximate           | 0.0100     | 0.400         | ND            | Pass   |
| Fipronil                | 0.0100     | 0.400         | ND            | Pass   |
| Flonicamid              | 0.0100     | 1.00          | ND            | Pass   |
| Fludioxonil             | 0.0100     | 0.400         | ND            | Pass   |
| Hexythiazox             | 0.0100     | 1.00          | ND            | Pass   |
| Imazalil                | 0.0100     | 0.200         | ND            | Pass   |
| Imidacloprid            | 0.0100     | 0.400         | ND            | Pass   |
| Indolebutyric Acid      | 0.0100     | 1.00          | ND            | Pass   |
| Kresoxim-methyl         | 0.0100     | 0.400         | ND            | Pass   |
| Malathion               | 0.0100     | 0.200         | ND            | Pass   |
| Metaxyl                 | 0.0100     | 0.200         | ND            | Pass   |
| Methiocarb              | 0.0100     | 0.200         | ND            | Pass   |
| Methomyl                | 0.0100     | 0.400         | ND            | Pass   |
| Methyl Parathion        | 0.0100     | 0.200         | ND            | Pass   |
| Mevinphos               | 0.0100     | 1.00          | ND            | Pass   |
| MGK-264                 | 0.0100     | 0.200         | ND            | Pass   |
| Myclobutanil            | 0.0100     | 0.200         | ND            | Pass   |
| Naled                   | 0.0100     | 0.500         | ND            | Pass   |
| Oxamyl                  | 0.0100     | 1.00          | ND            | Pass   |
| Paclobutrazol           | 0.0100     | 0.400         | ND            | Pass   |
| Pentachloronitrobenzene | 0.0100     | 1.00          | ND            | Pass   |

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measurement uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York  
1809 Vestal Pkwy E

Vestal, NY 13850  
(607)301-0884  
InfoNY@KeystoneStateTesting.com  
www.KeystoneStateTesting.com  
Permit #: OCM-CPL-00007

*Kelly Greenland*

Dr. Kelly Greenland, Lab Director





Sample #: 16043

Apple Fritter PR

Pesticides by LCMSMS

Pass

Analysis Date: 06/24/2025 5:16 pm

| Compound           | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status |
|--------------------|------------|---------------|---------------|--------|
| Permethrins, Total | 0.0100     | 0.200         | ND            | Pass   |
| Phosmet            | 0.0100     | 0.200         | ND            | Pass   |
| Piperonyl Butoxide | 0.0100     | 2.00          | ND            | Pass   |
| Prallethrin        | 0.0100     | 0.200         | ND            | Pass   |
| Propiconazole      | 0.0100     | 0.400         | ND            | Pass   |
| Propoxur           | 0.0100     | 0.200         | ND            | Pass   |
| Pyrethrins Total   | 0.0100     | 1.00          | ND            | Pass   |
| Pyridaben          | 0.0100     | 0.200         | ND            | Pass   |
| Spinetoram Total   | 0.0100     | 1.00          | ND            | Pass   |
| Spinosad Total     | 0.0100     | 0.200         | ND            | Pass   |
| Spiromesifen       | 0.0100     | 0.200         | ND            | Pass   |
| Spirotetramat      | 0.0100     | 0.200         | ND            | Pass   |
| Spiroxamine        | 0.0100     | 0.200         | ND            | Pass   |
| Tebuconazole       | 0.0100     | 0.400         | ND            | Pass   |
| Thiacloprid        | 0.0100     | 0.200         | ND            | Pass   |
| Thiamethoxam       | 0.0100     | 0.200         | ND            | Pass   |
| Trifloxystrobin    | 0.0100     | 0.200         | ND            | Pass   |

Comment: Pesticides tested by LCMSMS by using P-NY150. Unless otherwise stated, all QC passed.

Mycotoxins by LCMSMS

Pass

Analysis Date: 06/24/2025 5:16 pm

| Compound     | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status |
|--------------|------------|---------------|---------------|--------|
| Aflatoxin B1 | 0.0050     | 0.020         | ND            | Pass   |
| Aflatoxin B2 | 0.0050     | 0.020         | ND            | Pass   |
| Aflatoxin G1 | 0.0050     | 0.020         | ND            | Pass   |
| Aflatoxin G2 | 0.0050     | 0.020         | ND            | Pass   |
| Ochratoxin A | 0.0050     | 0.020         | ND            | Pass   |

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measurement uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York  
1809 Vestal Pkwy E

Vestal, NY 13850  
(607)301-0884  
InfoNY@KeystoneStateTesting.com  
www.KeystoneStateTesting.com  
Permit #: OCM-CPL-00007

*Kelly Greenland*

Dr. Kelly Greenland, Lab Director





Sample #: 16043

Apple Fritter PR

Mycotoxins by LCMSMS

Pass

Analysis Date: 06/24/2025 5:16 pm

| Compound        | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status |
|-----------------|------------|---------------|---------------|--------|
| Total Aflatoxin | 0.0050     | 0.020         | ND            | Pass   |

Comment: Mycotoxin contamination tested by LCMSMS using P-NY125. Unless otherwise stated, all QC passed.

Heavy Metals by ICPMS

Pass

Analysis Date: 06/23/2025 1:54 pm

| Compound | LOQ (µg/g) | Limits (µg/g) | Result (µg/g) | Status |
|----------|------------|---------------|---------------|--------|
| Antimony | 0.0100     | 2.00          | ND            | Pass   |
| Arsenic  | 0.00100    | 0.200         | ND            | Pass   |
| Cadmium  | 0.00150    | 0.200         | 0.0337        | Pass   |
| Chromium | 0.280      | 110           | ND            | Pass   |
| Copper   | 0.0750     | 30.0          | 11.4          | Pass   |
| Lead     | 0.00250    | 0.500         | 0.0663        | Pass   |
| Mercury  | 0.000500   | 0.100         | ND            | Pass   |
| Nickel   | 0.0100     | 5.00          | ND            | Pass   |

Comment: Heavy Metal contamination tested by ICPMS using P-NY140. Unless otherwise stated, all QC passed.

Micro by Petri & qPCR

Pass

Analysis Date: 06/23/2025 7:26 am

| Compound                                  | LOQ (CFU/g) | Limits (CFU/g) | Result (CFU/g) | Status |
|---|-------------|----------------|----------------|--------|
| Aspergillus flavus Qualitative            | 1           | 0              | Not Detected   | Pass   |
| Aspergillus fumigatus Qualitative         | 1           | 0              | Not Detected   | Pass   |
| Aspergillus niger Qualitative             | 1           | 0              | Not Detected   | Pass   |
| Aspergillus terreus Qualitative           | 1           | 0              | Not Detected   | Pass   |
| Salmonella Qualitative                    | 1           | 0              | Not Detected   | Pass   |
| Shiga Toxin-Producing E. coli Qualitative | 1           | 0              | Not Detected   | Pass   |
| Total Aerobic Bacteria                    | 10          |                | 2000           | Pass   |
| Total Yeast & Mold                        | 10          |                | <LOQ           | Pass   |

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measurement uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York  
1809 Vestal Pkwy E

Vestal, NY 13850  
(607)301-0884  
InfoNY@KeystoneStateTesting.com  
www.KeystoneStateTesting.com  
Permit #: OCM-CPL-00007

*Kelly Greenland*

Dr. Kelly Greenland, Lab Director





## Sample #: 16043

## Apple Fritter PR

Comment: Microbial contamination tested by Petrifilm plates and qPCR using P-NY120. Unless otherwise stated, all QC passed.  
**Due to COA validation limitations:** "Not Detected" = "Absent" and "Detected" = "Presumptive Presence". Acceptance Limits: "0" = "Absence" and "1" = "Presence". "Passed" for an adult-use product implies the results contain less than 1,000,000 cfu/g.

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Results based on simple acceptance, not taking into consideration measuremental uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York  
1809 Vestal Pkwy E

Vestal, NY 13850  
(607)301-0884  
InfoNY@KeystoneStateTesting.com  
www.KeystoneStateTesting.com  
Permit #: OCM-CPL-00007

Dr. Kelly Greenland, Lab Director

